

# YOKI



PRODUCTS CATALOGUE

REFRIGERATION AUTOMATIC TEMPERATURE CONTROLLER

## 2 Compressor Controller

**YOKI**

### Specification

Case	Panel Cutout	71 x 29mm - 76mm depth
Power Supply		230 Volt AC Standard 12 V DC, 24 V DC, 110 V AC on request
Display	2 Digit	10mm High Red L.E.D. & Icons
Performance	Resolution	1°C
	Accuracy	+/- 1°C
	Key Pad Lock	



### MODELS

YK - 7551P	Temperature Controller	0° to +50°C
	Compressor 1	SPDT Relay, 250 VAC - 5A (res.)
	Compressor 2	SPDT Relay, 250 VAC - 5A (res.)
	Set Point	Single Set Point
	Compressor Sequence	First In - First Out
YK - 7552P	Temperature Controller	0° to +50°C
	Compressor 1	SPDT Relay, 250 VAC - 5A (res.)
	Compressor 2	SPDT Relay, 250 VAC - 5A (res.)
	Set Point	Dual Set Point
	Compressor Sequence	Rotation

# General Purpose On/Off Controller

**YOKI**

## Specification

Case	Panel Cutout	71 x 29mm - 76mm depth
Power Supply		230 Volt AC Standard 12 V DC, 24 V DC, 110 V AC on request
Display	2 Digit	10mm High Red L.E.D. & Icons
Performance	Resolution	1°C
	Accuracy	+/- 1°C
	Differential	+1°C to +20°C
	Time Delay Key Pad Lock	0 to 20 mins.



## MODELS

YK - 7505	Temperature Indicator	-50° to +99°C	
YK - 7510E	Temperature Controller	-50° to +50°C	8Amp. Relay
YK - 7510F	Temperature Controller	-50° to +50°C	20Amp. Relay
YK - 7510G	Temperature Controller	-50° to +50°C	8Amp. Relay (With Buzzer)
YK - 7510P	Temperature Controller	-50° to +99°C	8Amp. Relay
YK - 7510	Temperature Controller	-50° to +99°C	20Amp. Relay
YK - 7515P	Temperature Controller	-50° to +99°C	8Amp. Relay (With Buzzer)
YK - 7521P	Temperature Controller	-50° to +99°C	with Time Based Defrost